



Implementing nature-based flood protection

Principles and implementation guidance

Public Disclosure Authorized

Public Disclosure Authorized

Public Disclosure Authorized

Public Disclosure Authorized

©2017 The World Bank

The International Bank for Reconstruction and Development

The World Bank Group

1818 H Street, NW

Washington, D.C. 20433, USA

Internet: www.worldbank.org

This work, including this document and the nature-based solutions online platform, was co-financed by the Program on Forests (PROFOR), the Global Facility for Disaster Reduction and Recovery (GFDRR), and Deltares.

The online platform that provides up-to-date implementation guidance and a database of nature-based solutions projects can be accessed at: naturebasedsolutions.org

Attribution

Please cite the work as follows: World Bank. 2017. *Implementing nature-based flood protection: Principles and implementation guidance*. Washington, DC: World Bank.

Disclaimer

This document is the product of work performed by the World Bank and GFDRR with external contributions. The findings, interpretations and conclusions expressed in this document do not necessarily reflect the views of any individual partner organizations of the World Bank, GFDRR, the Executive Directors of the World Bank, or the governments they represent.

The World Bank does not guarantee the accuracy of the data included in this work. The boundaries, colors, denomination, and other information shown in any map in this work do not imply any judgment on the part of The World Bank concerning the legal status of any territory or the endorsement or acceptance of such boundaries.

The contents of this report are the result of (scientific) research and should be interpreted related to this (scientific) research only. Use of the information is at your own expense and risk.

Rights and Permissions

The material in this work is subject to copyright. Because The World Bank encourages dissemination of its knowledge, this work may be reproduced, in whole or in part, for noncommercial purposes as long as full attribution to this work is given.

Any queries on rights and licenses, including subsidiary rights, should be addressed to the Office of the Publisher, The World Bank, 1818 H Street NW, Washington, DC 20433, USA; fax: 202-522-2422; e-mail: pubrights@worldbank.org.

Photo credits

Building with Nature Indonesia is a program by Ecoshape partners and the Indonesian Ministry of Marine Affairs and Fisheries (MMAF), and the Indonesian Ministry of Public Work and Human Settlement (PU)

University & Research Centre, UNESCO-IHE, Blue Forests, and Von Lieberman, with support from the Diponegoro University, and local communities; p4, p5, p6, p17, p27 and p30

Adobestock; p18 and p31

Stefan Verschure; p6 and p7

Thinckstock; cover and p8, p20, p23, p28

Clipart Panda; p10

Guus Schooneville; p12

Van beek images.com; p14 and p25

List of acronyms

CEDA	Central Dredging Association
DHI	Danish Hydraulic Institute
FEEM	Fondazione Eni Enrico Mattei
FRM	Flood Risk Management
GCCA+	Global Climate Change Alliance
GCF	Green Climate Fund
GEF	Global Environment Facility
GFDRR	Global Facility for Disaster Reduction and Recovery
GIZ	Deutsche Gesellschaft für Internationale Zusammenarbeit
IFI	International Financial Institution
IPCC	Intergovernmental Panel on Climate Change
IUCN	International Union for Conservation of Nature
M&E	Monitoring and Evaluation
MRV	Monitoring, Reporting and Verification
NBS	Nature-Based Solutions
NGO	Non-Governmental Organization
NOAA	National Oceanic and Atmospheric Administration
PEDRR	Partnership for Environment and Disaster Risk Reduction
SIDS	Small Island Developing States
SUDS	Sustainable Urban Drainage Systems
UNDP	United Nations Development Programme
UNEP	United Nations Environment Programme
UNISDR	United Nations Office for Disaster Risk Reduction
UNU	United Nations University
USACE	U.S. Army Corps of Engineers
VIA	Vulnerability Impact Assessment
WBCSD	World Business Council for Sustainable Development
WRI	World Resources Institute

Implementing nature-based flood protection

Principles and implementation guidance



Acknowledgements

This guideline is a product of collective effort by Deltares, the Global Facility for Disaster Reduction and Recovery (GFDRR), the Program for Forests (PROFOR) at the World Bank, Ecoshape, and the United Nations Development Programme (UNDP). Furthermore, this document could not have been made without the input from all participants of the workshop on scaling up nature-based flood risk reduction, held on April 11th and 12th 2017 at Deltares (NL).

Authors:

Deltares:	Bregje K. van Wesenbeeck, Stéphanie IJff
GFDRR:	Brenden Jongman, Simone Balog, Stefanie Kaupa, Lauren Bosche
World Bank:	Glenn-Marie Lange, Niels Holm-Nielsen
Ecoshape:	Henk Nieboer
UNDP:	Yusuke Taishi, Pradeep Kurukulasuriya
Independent consultant:	Imen Meliane

Contributors and reviewers:

The Water Institute of the Gulf:	Denise Reed
HR Wallingford:	Jonathan Simm
US Army Corps of Engineers:	Todd S. Bridges
Deltares:	Stephanie Janssen, Karen Meijer
IH Cantabria:	Inigo Losada
The Nature Conservancy & University of California, Santa Cruz:	Borja G. Reguero
Royal Haskoning-DHV:	Petra Dankers
The Nature Conservancy:	Adam Whelchel
Wetlands International:	Marie-Jose Vervest, Susanna Tol
Environmental Defense Fund:	Natalie Peyronnin, Shannon Cunniff
University of Western Australia:	Ryan Lowe
Delft University of Technology:	Stefan Aarninkhof
UN Environment/IUCN CEM:	Karen Sudmeier
UN Environment:	Marisol Estrella
UNU Institute for Environment and Human Security:	Fabrice Renaud

Design and Layout:

Deltares:	Welmoed Jilderda
-----------	------------------




Drone picture of Demak showing sediment accumulation behind permeable grids

This document is drafted based upon comments and remarks from the following workshop participants:

Name	Organisation
Abdi Yusuf	United Nations Development Programme (UNDP)
Ap van Dongeren	Deltares
Armando Guzman	The World Bank
Bastiaan Lammers	Boskalis
Bontje Zaengerling	The World Bank
Boris van Zanten	Wolfs Company
Carrie de Wilde	Ecoshape
Cees van de Guchte	Deltares
Christophe Briere	Deltares
Claire Jeuken	Deltares
Ellis Penning	Deltares
Els van Lavieren	Conservation International
Femke Schasfoort	Deltares
Fokko van der Goot	Ecoshape
Hans Pietersen	Rijkswaterstaat
Hessel Winsemius	Deltares
Jaap Kwadijk	Deltares
Jaap van Thiel de Vries	Boskalis
Luca Sittoni	Ecoshape
Madhuvi Kisoen	Ministry of Public Works Suriname
Marcel Stive	Delft University of Technology
Mary Bryant	US Army Corps of Engineers
Mathias Bertram	Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ)
Mathijs van Ledden	GFDRR
Melisa October	Ministry of Agriculture, Guyana
Mindert de Vries	Deltares
Minke van Rees	Turing Foundation
Monica Altamirano	Deltares
Natasja van den Berg	Tertium
Nicolas Desramaut	The World Bank
Nigel Pontee	CH2M
Dionisio Perez Blanco	Fondazione Eni Enrico Mattei (FEEM)
Peter Goodwin	University of Idaho
Pieter van Eijk	Wetlands International
Quirijn Lodder	Rijkswaterstaat
Remment ter Hofstede	Van Oord
Robert McCall	Deltares
Salah Dahir	United Nations Development Programme (UNDP)
Saskia Marijnissen	United Nations Development Programme (UNDP)
Stefan Aarninkhof	Delft University of Technology
Susanna Tol	Wetlands International
Vincent Vuik	Delft University of Technology
Wouter Gotje	Witteveen + Bos

1 INTRODUCTION

Floods are the most frequent and damaging of all natural hazards globally. Between 1994 and 2013, floods accounted for 43% of all recorded natural events, affecting nearly 2.5 billion people¹. During exceptional years such as 1998 and 2010, total losses due to flooding have exceeded \$40 billion. In the coming decades with climate change, urbanization, and demographic growth, the impact of coastal, fluvial, and pluvial flooding is expected to increase significantly. Effective flood risk management is critical to protect people and their livelihoods from flooding and to limit future losses. Nature-based measures and their ability to address flood risk are receiving increasing attention.



Failing sea wall



Until recently, most flood risk management involved conventional engineering measures. These measures are sometimes referred to as “hard” engineering or “gray” infrastructure. Examples include building embankments, dams, levees, and channels to control flooding. Recently the concept of “nature-based solutions”, “ecosystem-based adaptation”, “eco-DRR” or “green infrastructure” has emerged as a good alternative or complement to traditional gray approaches. Nature-based solutions make use of natural processes and ecosystem services for functional purposes, such as decreasing flood risk or improving water quality. These interventions can be completely “green” (i.e. consisting of only ecosystem elements) or “hybrid” (i.e. a combination of ecosystem elements and hard engineering approaches).

Nature-based solutions can help mitigate flood (the focus of this document), drought, erosion and landslide. In addition, they may help decrease vulnerability to climate change while also creating multiple benefits to the environment and local communities. These include sustaining livelihoods, improving food security, and sequestering carbon. Such solutions can be applied to river basins (e.g. reforestation and green embankments), coastal zones (e.g. mangroves and wetlands), and cities (e.g. urban parks).

There is increasing momentum for the use of nature-based solutions as part of resilience-building strategies, sustainable adaptation, and disaster risk management portfolios. Awareness of nature-based solutions from communities, donors, and policy- and decision-makers

This document attempts to be one step towards standardized guidelines for all nature-based solutions.

is growing. Further, investors and the insurance industry are increasingly interested in nature-based solutions. From a climate change perspective, ecosystem-based adaptation has been highlighted as a priority investment area in global funds such as the Global Environment Facility or the Green Climate Fund.

As with conventional engineering solutions, the effective application of nature-based solutions requires a comprehensive assessment and implementation process. However, nature-based solutions are often

implemented on an ad-hoc basis. While there have been significant advances in the design and testing protocols for ecosystems and their role in risk mitigation, these solutions have yet to be fully evaluated and standardized. As a result, some nature-based projects for climate adaptation and disaster risk reduction have not been designed properly, leading to ineffective and unsustainable results. As is the case for engineering solutions, there is no ‘one size fits all’ approach given that climatic, ecological, and hazard characteristics are variable and are often poorly understood. However, the sector of traditional infrastructure has a long history in which they have fully developed protocols and standards, whereas nature-based solutions are emerging approaches that need the same level of investigation of lessons learned and development of standards. Therefore, guidance and standards need to be developed for nature-based solutions which can aid project designers, implementers, funders, evaluators and others and others involved in project development. Guidance also facilitates achieving a common understanding of likely effectiveness and risk reduction outcomes. This document attempts to be one step towards standardized guidelines for all nature-based solutions.

The objective of this document is to present five principles and implementation guidance for planning, such as evaluation, design, and implementation of nature-based solutions for flood risk management as an alternative to or complementary to conventional engineering measures. The potential users of these principles and implementation steps are professionals in risk management and climate adaptation, NGOs, donors, and international organizations. This guidance was developed in cooperation with a large and diverse group of international funding agencies, research institutes, NGOs, governmental organizations, and engineering firms.

This document has two parts:

1. **Principles**, describing key considerations to consider when planning nature-based solutions
2. **Implementation guidance**, describing the timeline and activities needed to implement nature-based solutions

1. UNISDR, C. (2015). *The human cost of natural disasters 2015: A global perspective*.

PRINCIPLES

An aerial photograph showing a cityscape in the background with a large green space and a river in the foreground. The river is surrounded by trees and vegetation. A blue semi-transparent box is overlaid on the image, containing text.

A number of pilot projects and technical reports have recently been released on the implementation of nature-based solutions for flood risk management. Five basic principles to guide future nature-based project development have come out of these pilot projects—both during design, implementation, and maintenance—and reports on the topic. The main purpose of these principles is to promote best practices and prevent common pitfalls in the use of nature-based solutions. As such, these principles are meant as guidance for project development and initiation and not as a specific design manual. For more detailed information on design, existing technical guidelines (including the US National Oceanic and Atmospheric Administration (NOAA)², the US Army Corps of Engineers (USACE)³, and Ecoshape⁴) and guidelines under development (USACE) can be consulted.



Principle 1: System-scale perspective

Addressing nature-based solutions for climate change adaptation and disaster risk reduction should start with a system-wide analysis of the local socio-economic, environmental, and institutional conditions.

Spatial scale

The physical landscape of coastal systems, rivers, and deltas has been shaped by the interaction between sediments, hydrodynamics, and ecology. Often these systems are strongly influenced by both riverine and coastal processes, but also human use and existing infrastructure play a role. System integrity is influenced by fluxes of sediment, nutrients, and fresh and salt water occurring at different scales. Any change in these fluxes will trigger other processes that induce changes in landscape morphology and ecology. A change in fluxes could result in the reduction of sediment input or the alteration of currents. For example, alteration of upstream sediment loads may influence downstream coastline stability and in this way determine the success and feasibility of downstream or coastal interventions. The planning of nature-based measures should take into account these processes at various spatial scales, starting with the largest scale at which they play a role or can be influenced. Ideally, planning of a conventional engineering structure would take the same approach. However, whereas these large-scale considerations optimize functionality and avoid unforeseen effects for engineering structures, they are indispensable for the success of nature-based solutions.

Ecosystems are highly dependent on the larger enabling environmental processes. Often, ecosystems cannot be sustained by managing individual sites in isolation. The integrity and health of ecosystems at landscape scales determine the potential of nature-based solutions to limit flood risk. If evaluated on small spatial scales, the impact of nature-based solutions on risk reduction may seem trivial, whereas on larger scales the presence and integrity of ecosystems may make an enormous difference on the overall impact of flood events. Therefore, to appreciate and fully develop the potential

of nature-based solutions for flood risk reduction, these solutions should be considered from the outset in terms of their potential over large spatial scales.

Time scale

In addition to considering appropriate spatial scales, a long time frame should be adopted to exploit the full potential of nature-based solutions. Ideally, time frames of 20 to 50 years or longer should be applied. For shoreline communities affected by flooding, the threat is increasing due to changes in watershed land use, more intense precipitation, sea-level rise, siltation of river mouths, increased storminess, and possible failure of conventional risk reduction structures (when present). Risk reduction strategies also need to reflect the range of conditions that can occur and how systems change over time. Consideration of the scale of the problem and how it will change over time is essential⁵. Ecosystems evolve over decades or even centuries, which means that the benefits they provide also change over time. One of these benefits is that they can adapt to changing environmental and risk conditions⁶, thereby potentially exceeding the design lifetime of engineered structures. Awareness-raising amongst coastal residents and other stakeholders that their system is changing, sea level is rising, and that each storm is different in terms of track, size, and intensity is crucial⁷.

Local socio-economic and institutional context

In addition to an evaluation of effects and feasibility on the environmental system, each infrastructure solution should be rooted in the local socio-economic and institutional context. Because nature-based solutions for flood risk are less common than traditional measures, their implementation in the local socio-economic and institutional context can be a challenge. For example, there is relatively little documentation of their effectiveness, costs, and benefits. Therefore, nature-based solutions may require a more integral perspective to ensure a common understanding of their role, including the integration of opinions

2. NOAA (2015). A Guide to Assessing Green Infrastructure Costs and Benefits for Flood Reduction. <https://coast.noaa.gov/data/docs/digitalcoast/gi-cost-benefit.pdf>


3. Bridges, T.S., Wagner, P.W., Burks-Copes, K.A. et al. (2015). Use of Natural and Nature-Based Features (NNBF) for Coastal Resilience. ERDC SR-15-1. Vicksburg, MS. U.S. Army Engineer Research and Development Center.

4. <https://www.ecoshape.org/en/design-guidelines/>

5. Groves, D. G., Panis, T., & Sanchez, R. (2017). 2017 Coastal Master Plan: Appendix D: Planning Tool. Version Final. Baton Rouge, Louisiana: Coastal Protection and Restoration Authority.

6. van Wesenbeeck, B. K., de Boer, W., Narayan, S., van der Star, W. R., & de Vries, M. B. (2016). Coastal and riverine ecosystems as adaptive flood defenses under a changing climate. *Mitigation and Adaptation Strategies for Global Change*, 1-8

7. Clipp, A., Gentile, B., Green, M., Galinski, A., Harlan, R., Rosen, Z., Saucier, M. (2017). 2017 Coastal Master Plan: Appendix B: People and the Landscape. Version Final. Baton Rouge, Louisiana: Coastal Protection and Restoration Authority.



When planning nature-based solutions, it is important to take a system scale perspective.

and objectives of stakeholders. A larger array of stakeholders needs to be involved consistently in order to increase the legitimacy of the measures. Achieving broad acceptance for a nature-based solution may be complex and time consuming. This will pay off in later project stages. Ideally, such broad acceptance should also be obtained for conventional engineering projects.

Principle 2: Risk and benefit assessment of full range of solutions

A thorough assessment of risks and benefits of the full range of possible measures should be conducted, covering risk reduction benefits as well as social and environmental effects.

Flood risk management projects generally start with the identification of the three elements of risk: hazard, exposure, and vulnerability^{8,9}. Conducting a risk assessment has two purposes. Firstly, the assessment provides a baseline understanding of what is at stake. It enables the decision-maker to define a risk reduction

target which results in an acceptable level of residual risk. Secondly, the assessment is an important basis for analyzing the effectiveness of the various measures available for risk reduction.

Risk assessments are not always conducted in nature-based projects despite their importance for successfully implementing a flood risk reduction measure. Lack of an appropriate risk assessment may result in a lack of understanding of the project's risk reduction capabilities. Additionally, the broad portfolio of measures that could be used for flood risk reduction is not always taken into account. This may lead to implementation of suboptimal solutions in critical locations or to ill-fitted risk management strategies with potential long-term negative impacts for risk, ecosystems or other community interests.

Although traditional risk assessment methods can be applied to nature-based solutions, they do not incorporate the full range of benefits generated by nature-based projects. To fully appreciate the potential of nature-based measures, risk assessments should be extended with a benefit assessment to quantify their ecosystem and socio-economic benefits. These additional benefits also need to be a standard element of cost-benefit analyses. This will enable a more holistic comparison to traditional engineering approaches that incorporates a project's long term sustainability.

8. IPCC (2014). *Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* [Core Writing Team, R.K. Pachauri and L.A. Meyer (eds.)]. IPCC, Geneva, Switzerland, 151 pp.
9. UNISDR (2015). *Sendai Framework for Disaster Risk Reduction 2015-2030*. United Nations Office for Disaster Risk Reduction: Geneva, Switzerland.



Finally, risk assessments should incorporate projections of future changes in risk as a consequence of climatic, socio-economic, and institutional changes. Assessments should account for the dynamic nature of the risk reduction functions of natural ecosystems including the evolution of ecosystem services over time.

Principle 3: Standardized performance evaluation

Nature-based solutions for flood risk management need to be tested, designed, and evaluated using quantitative criteria.

There are international standards and guidelines for engineered flood management structures, such as the International Levee Handbook¹⁰ and the Coastal Engineering Manual¹¹. These standards and guidelines are adopted for design, testing, and construction. They not only provide guidance for implementation but also for evaluating the effectiveness of such measures. Similar standards for nature-based structures are not yet available. Consequently, the uptake of nature-based solutions would be facilitated by an open and transparent process to determine performance standards. This will allow for standardized quantification of their effectiveness in reducing hazard or exposure. A transparent process ensures that uncertainties are considered as part of the design. Further, such standards will enable comparison with conventional engineering interventions.

Numerous documents are currently available that can inform designers. For example, for wave attenuation by vegetation there are numerous peer-reviewed papers documenting the latest advances in numerical models^{12,13}. These numerical models can be used to make integrated designs as long as conservative estimates for vegetation parameters are adopted in order to avoid overestimating the performance of such measures. At the same time, there are several knowledge gaps regarding the performance of nature-based interventions for flood risk management. These gaps are mostly related to their performance under extreme storm conditions or tsunamis. Although numerical models are used to investigate performance of vegetated ecosystems under storm conditions, validation data from experiments or from the field is often lacking.

Knowledge gaps also exist related to their persistence over longer time scales and subject to multiple events.

Systematic knowledge development to fill these gaps is necessary to advance uptake of nature-based solutions. Developing and applying quantifiable engineering protocols for ecosystems will require close collaboration

To fully appreciate the potential of nature-based measures, risk assessments should be extended with a benefit assessment to quantify their ecosystem and socio-economic benefits.

between ecologists, or specialists with a strong understanding of the natural systems, and engineers. This will increase our understanding of the role that ecosystems can play in risk reduction. Ultimately, it allows for impartial comparison of effectiveness, costs, and benefits of different types of solutions.

Principle 4: Integration with ecosystem conservation and restoration

Nature-based solutions for flood risk management should make use of existing ecosystems, native species, and comply with basic principles of ecological restoration and conservation.

Restoration, conservation, and management of ecosystems are crucial elements of the implementation of nature-based solutions for flood risk management. Ecological conservation and restoration, and morphology (the study of natural processes including hydrodynamics and sediment transport) are scientific disciplines with large bodies of theory and practice that will advance proper implementation of nature-based solutions. For example, it is known that ecosystems that are more diverse are also more productive and more resilient

-
10. CIRIA (2013) *The International Levee Handbook*. CIRIA, London, United Kingdom, 1332 pp.
 11. U.S. Army Corps of Engineers (2002). *Coastal Engineering Manual (CEM), Engineer Manual 1110-2-1100*. U.S. Army Corps of Engineers, Washington, D.C. (6 volumes).
 12. van Wesenbeeck, B. K., de Boer, W., Narayan, S., van der Star, W. R., & de Vries, M. B. (2016). Coastal and riverine ecosystems as adaptive flood defenses under a changing climate. *Mitigation and Adaptation Strategies for Global Change*, 1-8.
 13. Vuijk, V., Jonkman, S. N., Borsje, B. W., & Suzuki, T. (2016). Nature-based flood protection: the efficiency of vegetated foreshores for reducing wave loads on coastal dikes. *Coastal engineering*, 116, 42-56.



Experimental facilities such as this Delta Flume can be used to test vegetation performance under extreme conditions

to disturbances¹⁴. Further, there is ample evidence that restoration by planting of a single crop or exotic species leads to adverse effects and therefore restoration efforts better focus on reconstructing proper abiotic conditions¹⁵. However, this knowledge is not always reflected in on-the-ground flood risk reduction projects. Large-scale mangrove planting efforts, for example, are

System evaluations help identify opportunities and constraints for effective conservation and restoration of ecosystems.

often conducted with unsuitable species in unsuitable areas and therefore fail unnecessarily. Moreover, poorly planned restoration and planting efforts may result in unanticipated effects on other valuable ecosystems such as intertidal flats and sea grass beds. As for risk assessments, restoration practices should start with a system evaluation to determine the pre-existing types of ecosystems and abiotic processes. System evaluations help identify opportunities and constraints for effective conservation and restoration of ecosystems. Present and future conditions should be taken into account to determine the target ecosystem and the feasibility of

restoring it. Sometimes conditions are altered to such an extent that returning to original states is not realistic. This may warrant restoration to another type of ecosystem and adjustment of restoration targets. In addition, climate change impacts on ecosystems may result in transitions between ecosystems. It is important to understand the risk reduction value of the current ecosystem and how that risk profile will change as the ecosystem changes.

Leveraging available knowledge on ecosystem restoration and management will not only reduce the risk of failure in project implementation, but also avoid undesirable side effects such as the replacement or destruction of other valuable ecosystems. For example, mangroves are often considered crucial for reduction of waves generated by coastal storms. However, previous mangrove habitats (the high intertidal zone) are often already used for aquaculture, agriculture, or habitation. As a consequence, mangrove restoration is often conducted in the lower intertidal zone. Restoration in this zone can negatively impact shellfish, birds, sea grasses, and dugongs. Such tradeoffs need to be anticipated so that communities are aware of risk reduction outcomes, including the implications for food security and ecosystems. Guidelines for restoration of ecosystems can be found on the Ecoshape wiki pages¹⁶. A good manual for informed mangrove restoration is also available¹⁷.



Principle 5: Adaptive management

Nature-based solutions for flood risk management need adaptive management based on long-term monitoring. This ensures their sustainable performance.

As nature-based solutions evolve over time, they require continuous management and monitoring of their effectiveness. The management of nature-based solutions should strongly draw on knowledge of ecosystem management, which requires a proper understanding of ecosystem dynamics. One example of an adaptive management strategy is the nourishment of extra sediment, as sometimes practiced in beach and dune systems. Another example is the exclusion of grazers or predators if these limit ecosystem recovery. The dynamic nature of ecosystems combined with long-term trends necessitates adaptive management of any ecosystem-based strategy. Implementation of nature-based solutions should therefore be accompanied by an adaptive management plan.

Adaptive management is a systematic approach that facilitates flexible decision-making¹⁸. It is an iterative process in which management actions are followed by targeted monitoring and assessment. As outcomes from current and future management actions become better understood, the decision-making and management can be refined. The adaptive management cycle is built on a predictive outcome or target. It consists of implementation, monitoring, data evaluation, decision-making, and adjustment of possible management measures. This cycle should be repeated at a regular interval over the lifetime of the measure. Adaptive management activities should be defined in a specific plan, with funding made available over time. Such activities include multiple management scenarios should the measure not perform as expected. Assessment of the flood risk reduction potential may include modeling and monitoring, while the system should meet the criteria for risk reduction whenever a hazard occurs. The adaptive management cycle ensures consistent management after the project implementation, but also provides a basis to develop lessons learned for future project implementation. Similarly, the cycle should include documentation of effective measures and management methods. Flexibility in the donor requirements helps to enable adaptive management of nature-based solutions for flood risk management.



1. **Plan:** Defining the desired goals and objectives evaluating alternative actions and selecting a preferred strategy with recognition of sources of uncertainty;
2. **Design:** Identifying or designing a flexible management action to address the challenge;
3. **Implement:** Implementing the selected action according to its design;
4. **Monitor:** Monitoring the results or outcomes of the management action;
5. **Evaluate:** Evaluating the system response in relation to specified goals and objectives; and
6. **Adapt:** Adapting (adjusting upward or downward) the action if necessary to achieve the stated goals and objectives.

Adaptive Management Process (CEDA, 2015)

14. van Wesenbeeck, B.K., Griffin, J.N., van Koningsveld, M., Gedan, K.B., McCoy, M.W., Silliman, B.R. (2017) Nature-Based Coastal Defenses: Can Biodiversity Help? Reference Module of Life Sciences 2017.
15. Lewis lii, R. R. (2005). Ecological engineering for successful management and restoration of mangrove forests. *Ecological Engineering* 24:403-418.
16. <https://publicwiki.deltares.nl/display/BWN1/EDD+-+Building+with+Nature+Building+Blocks>
17. Lewis, R.R. and Brown, B. (2014). Ecological Mangrove Rehabilitation. A field manual for practitioners. <http://www.mangroverestoration.com/pdfs/Final%20PDF%20-%20Whole%20EMR%20Manual.pdf>
18. CEDA (2015). Integrating Adaptive Environmental Management into Dredging Projects. http://www.dredging.org/media/ceda/org/documents/resources/cedaonline/2015-01-ceda_positionpaper-integrating_adaptive_environmental_management_into_dredging_projects.pdf


2 IMPLEMENTATION GUIDANCE

The five principles outlined some general ‘rules’ for sustainable and effective nature-based solutions for flood risk management. This section of the guidance summarizes the steps needed for the planning, assessment, design, implementation, monitoring, management, and evaluation of nature-based solutions for flood risk management. It follows the general cycle of a flood risk management project and therefore are also applicable for gray measures. However, it provides more information and detail on specific aspects that need further attention when implementing nature-based solutions. These guidelines build and expand upon existing guidance developed by other organizations, including NOAA, USACE, and Ecoshape. This document attempts to cover the entire project cycle from preparation to monitoring and evaluation.





Projects that aim to implement nature-based solutions must consider biophysical and socio-economic processes on different scales in space and time. This calls for the engagement of experts from different disciplines such as hydrology, engineering, ecology, economics, and social sciences. As with other risk management projects, the design and implementation of nature-based solutions should be done in a participatory manner with full engagement of all relevant stakeholders. This is particularly important as nature-based solutions present an opportunity to address flood risks by aligning conservation, development, and poverty alleviation objectives. This can create new synergies and collaborations between governments, local communities, and NGOs, but also relevant private sector stakeholders.





Step 1: Define problem, project scope, and objectives

Broadly identify the flood hazard, relevant stakeholders, and beneficiaries. The scope of the problem needs to be identified within the larger context, forming the basis of further analyses in the subsequent steps. Project objectives encompassing the necessitated flood risk mitigation and additional benefits need to be defined.

1. Identify the study area, problem, key stakeholders, and beneficiaries

Identify the direct area of interest and the main flood hazard(s) and risk(s) that the project intends to address. Possible stakeholders and beneficiaries inside and outside of the intervention area should be identified. Meetings should be held with these stakeholders in order to understand their needs. Tradeoffs between stakeholders need to be acknowledged.

2. Define the project scope and set boundaries

Define the scope of the problem within the greater physical, social, and environmental context. Determine the limits of boundaries of the project's physical intervention area that is suitable for addressing the problem (as stated in principle 1, e.g. watershed, ridge to reef, estuary, etc.). Institutional and legal constraints, and opportunities should also be identified.

3. Set project objectives considering the full targeted range of benefits

Define quantitative project objectives and the main reason of your initiatives. Any general constraints on project options need to be identified. Potential barriers may include legal constraints, fundraising problems, or an uneven distribution of the benefits¹⁹. Stakeholder interviews can be used to identify the full range of desired benefits that should be taken into account. Potential benefits are flood risk reduction and erosion control, but may also include other services such as enhanced ecosystem quality, positive impact on the livelihood of local communities, and opportunities for recreation.

Outputs

1. Documentation of stakeholder needs
2. Maps of area of interest depicting main risks and root causes to these risks
3. Measurable project objectives

¹⁹. Deltares (2015). A framework for sandy strategy development. 55 pp. <http://www.dezandmotor.nl/uploads/2016/09/sand-motor-businesscase-def.pdf>

Step 1: Best practice example and additional resources

Example project

The Ecoshape consortium consists of engineering companies, contractors, research institutes, and NGOs. It implements a large-scale project on restoration of eroding mangrove coasts in Central Java, Indonesia. The project is conducted in joint operation with the Ministry of Agriculture, Fisheries and Food, and the Ministry of Public Works and Housing. It entails a unique combination of engineering and water management knowledge with an intensive community-based approach. The objective of the project is to halt coastal erosion through the construction of permeable bamboo dams that mitigate wave energy and increase elevation by trapping sediment. These measures create suitable conditions for mangrove recovery. The project continues to work on rehabilitation of aquaculture ponds, including the creation of alternative income sources. Clear targets are defined for different coastal stretches in the design and engineering plan. Each year, a new design and implementation process begins. This is based on community consultation and on monitoring results from previous years. Before project initiation, commitment from local communities and governmental organizations on national and local level was sought.

Read more: Tonneijck et al. "Building with Nature Indonesia: Securing Eroding Delta Coastlines. Design and Engineering Plan." (2015): https://www.ecoshape.org/uploads/sites/2/2016/07/Ecoshape-2015-Result-1-5-Design-Engineering-Plan-v7-0-LAYOUT-Nature-style_2.pdf. Additional information on the Building with Nature project in Indonesia: www.indonesia.buildingwithnature.nl



Building permeable dams

More information

Specific guidance on how to conduct a stakeholder analysis can be found on the Ecoshape website: <https://publicwiki.deltares.nl/display/BWN1/Tool+-+Stakeholder+analysis>

More information on involvement of local communities using a field school approach can be found with Blue Forests (<http://blue-forests.org/>). Blue Forests is a local NGO based in Indonesia focused on empowering local communities to rehabilitate and maintain sustainable use of coastal ecosystem resources. Blue Forests provide environmental education, ecological mangrove rehabilitation, coastal field schools, and coastal business schools.

Step 2: Develop Financing strategy

Evaluate financing options for the proposed measures and secure green finance opportunities, if possible.

1. Identify funding sources

Identify the financing sources available to implement nature-based solutions. Investigate the availability of national and local government financing and related implementation capacities. Check how international financing sources, including International Financial Institutions (IFIs), link to national frameworks related to environmental solutions. Consider leveraging green or climate-related financing, such as the Green Climate Fund and the Global Environment Facility. Recognize that financing follows value creation and that the benefit streams (types and recipients of benefits) will typically drive the financing sources available. However, creation of added value or additional revenue streams can potentially be used to attract the private sector to invest in nature-based solutions. Consider the availability of co-financing by local stakeholders, which can help support local commitment to the success of

the measures. Consider non grant-based funding such as environmental taxation or payments for ecosystem services. These types of funding can influence behavior, spur autonomous adaptation, and subsequently affect cost-effectiveness and cost-efficiency of the project.

2. Assess project timeline, risk, and feasibility in light of financing

Assess requirements of financing sources regarding implementation of the project, including environmental and social safeguards. Recognize that nature-based solutions may be different than conventional solutions in terms of disbursement, performance, and risk timelines. This applies to the implementation as well as the monitoring and evaluation phases. Consider institutional feasibility and adaptability, given the (large) investments in capital necessary to make nature-based solutions successful.

3. Check for (adverse) incentives

Realize that traditional financing sources may incentivize conventional solutions rather than hybrid



or green measures. This relates to the better known project structures, possible shorter timelines, or larger disbursement amounts. Also be aware that financing sources for traditional infrastructure and nature-based solutions may go through different programs or institutions. For example gray solutions tend to go through the ministry of infrastructure whereas nature-

based solutions may be commissioned by the ministry of environment or fisheries. Meet with all potential stakeholders. Then, consider how the social and environmental aspects can benefit each other. Results of the vulnerability and opportunity mapping may bring forward different benefits for multiple stakeholders and hence, multiple ongoing incentives. A cost-

Step 2: Best practice example and additional resources

Example project

In 2000, The Nature Conservancy in collaboration with the U.S. Agency for International Development established a water fund. This fund directs money from water users to improve protection of the Condor Biosphere Reserve in Ecuador. In 2004 the fund managed \$2.1 million, financed by the Quito Municipal Water and Sewage Agency, the Quito Electricity Company, and the Andina Beer Company. The project reports successes on both social and ecological fronts. The nearly \$5 million raised for conservation action have been used to plant 3.5 million trees, hire nine new park guards that provide new jobs and increase enforcement, build local capacity for monitoring and conflict resolution, fund hydrologic modeling and monitoring, and provide environmental education to children. Financial support for conservation came from an appreciation of the role that healthy forests play in supplying and regulating the availability of clean water. A key to the success of this project may have been a long record of flow and sedimentation monitoring data collected during hydropower operations. This data provided a clear signal of a degrading ecosystem service before any catastrophic event.



Condor Biosphere Reserve

Read more: Tallis, Heather, et al. "An ecosystem services framework to support both practical conservation and economic development." *Proceedings of the National Academy of Sciences* 105.28 (2008): 9457-9464. URL: <http://waterfunds.org/esp/the-quito-water-conservation-fund-fonag/>

More information

The Global Climate Change Alliance (GCCA+) offers a searchable repository of 47 sources of technical and financial support in Africa, Asia, Caribbean and Pacific regions in GCCA+ priority areas: <http://www.gcca.eu/technical-and-financial-support>

The Global Environment Facility (GEF) provides guidance on payment schemes for ecosystem services: https://www.thegef.org/sites/default/files/publications/28252nomarks_0.pdf



benefit analysis could be leveraged to overcome these incentives. Consider how the complexity of the project matches the transaction costs and desired project size of the funding sources. It should also be explored whether the implementation of this project can be bundled with other development interventions and programs in order to reach a 'sizable project' that can be part of an IFI pipeline.

Outputs

1. First budget estimate for project
2. Overview of available and possible future resources

Step 3: Conduct ecosystem, hazard, and risk assessments

Conduct an assessment of the type and intensity of the flood hazard, including the effects on population, assets, and infrastructure with specific attention to the role of the ecosystem.

1. Conduct an integrated system assessment of the intervention area

Outline the direct area of interest (based on step 1) and assess the wider socio-economic environmental and institutional systems. This should include an assessment of the biophysical systems, the ecosystem, and provided ecosystem services. Further detail the main flood hazard type affecting the study area and its source (started in step 1). River, coastal, and pluvial flooding can be driven by a range of factors such as extreme local rainfall, high river discharge, or coastal storm surge. Broadly define the various ecosystem types in the area and their risk reduction potential. Note that the area relevant from an ecosystem management perspective may be much larger than the area at direct risk of flooding (see Principle 1).

2. Gather data

Collect data that can be used for the risk assessment. This includes data for hazard (e.g. rainfall, river discharge, sea level, and elevation data), exposure (e.g. population density and distribution, infrastructure location), and vulnerability (e.g. building typology, poverty). To assess the political dimensions of the system, collect information on the governance of relevant resources. This specifically applies to the strategic, legal, and regulatory framework (national or regional

strategies, laws, municipal development plans), relevant institutes, and stakeholders. Stakeholders are defined as people, groups, and entities affected by current and future flooding events as well as those benefiting or negatively affected by the proposed risk reduction measures. These types of data can be difficult to collect as they tend to be available in a wide range of places, for example across governmental organizations. In data scarce regions, the risk assessment often needs to rely on remote sensing or other globally available data products. If these are not available or sufficient to conduct a risk assessment, more effort needs to be invested in local data collection.

3. Assess current ecosystem extent, condition, and functioning

Analyze if there are ecosystems that currently play a role in flood protection. Understand how these ecosystems can further contribute to reducing flood risk. Ecosystem health should be measured by indicators such as species diversity, abundance, and biomass. Historical changes and trends in the ecosystem should be researched with the objective to obtain a first impression of the ecosystem's stability and resilience, and to gain understanding of its original regulatory and provisioning services. At the same time, future trends that may influence these conditions should be anticipated. The role of ecosystems in reducing risk can be identified by examining their role in: reducing or regulating hazards (e.g. wave attenuation, current reduction), reducing the exposure of people and assets to hazards (e.g. by keeping people out of dangerous zones), and reducing vulnerability (e.g. through supporting livelihoods and economies, and providing key services). Qualitatively articulate what the potential is for expanding the risk reduction potential of ecosystems by conservation or restoration efforts.

4. Model current and future flood hazard

Conduct a probabilistic hydrological and hydraulic modeling assessment and map flood zones with the potential intensity and location of all relevant types of flooding. This should result in potential inundation maps for a range of return periods and appropriate planning horizons.

5. Quantify current and future flood exposure and risk

Combine the flood hazard maps with exposure and vulnerability information to produce estimates of human and economic impact. Future scenarios should



be developed using climate change scenarios affecting flood hazard, deterioration scenarios for any flood management infrastructure, and socio-economic scenarios informed by expected changes in population, land-use, and urbanization.

6. Identify opportunities and barriers to implementation in the socio-political setting

Assess the legal, regulatory, financing, socio-economic, and political context and their effects on the feasibility of implementing various risk reduction interventions. Consider opportunities for enforcement of existing regulations or laws or possibility of development of new

ones. Local or national policies may affect government prioritization of ecological or engineering interventions. Assess the dependence of communities on the ecosystem and how this may be influenced by interventions.

Outputs

1. Maps indicating current and future hazard, exposure, and vulnerability
2. Maps and analysis showing land use, ecosystem presence and health, and importance of ecosystem for disaster risk reduction
3. Maps (with model results) indicating flood zones for different return periods

Step 3: Best practice example and additional resources

Example project

The European Commission and United Nations Environment Programme (UNEP) led a Coastal Partners project in Port Salut, Haiti. National and community baseline assessments were undertaken in local hilly, coastal, and sea environments. The objective was to identify exposed or vulnerable areas and select appropriate reforestation interventions to reduce the risk of floods, storms, and soil erosion. Through marine and terrestrial field surveys, remote sensing, and GIS modeling, detailed baseline maps were developed. Exposure under current and future ecosystem management scenarios was modeled. Interviews, multi-stakeholder focus group discussions, and participatory mapping also contributed to the baseline assessments.

Read more: UNEP (2016). *Coastal Partners: Applying ecosystem-based disaster risk reduction (Eco-DRR) through a ridge-to-reef approach in Port Salut, Haiti*. URL <http://wedocs.unep.org/handle/20.500.11822/14211>

More information

1. NOAA Guidance for Assessing the Costs and Benefits of Green Infrastructure: <https://coast.noaa.gov/data/docs/digitalcoast/gi-cost-benefit.pdf>
2. Methodologies for assessing dynamic risk: <https://www.gfdrr.org/sites/default/files/publication/Riskier%20Future.pdf>
3. Open-source hazard data and screening: www.thinkhazard.org
4. WRI Global Flood Analyzer: <http://floods.wri.org>
5. Information on finding data for risk assessments at Open Data for Resilience Initiative (OpenDRI): <https://opendri.org>
6. UNEP's Risk and Vulnerability Assessment Methodology Project (RiVAMP): <http://www.unep.org/disastersandconflicts/news/rivamp-jamaica>



Urban river park



Step 4: Develop nature-based risk management strategy

Identify possible strategies to reduce flood risk and evaluate whether nature-based solutions are a good alternative or valuable addition to conventional options. Wherever possible, prioritize nature-based solutions by respecting the following sequence when evaluating intervention options. 'No intervention' is taken as a starting point and followed by considering management options, which are non-structural measures such as early warning systems or spatial planning. Then consider if working with natural processes only will achieve desired safety levels. This option constitutes working with present natural processes and ecosystems, hence managing the present ecosystem.

Then, more active intervention and creation of ecosystems is another option. Working with natural processes and green solutions both represent nature-based flood risk management solutions. Green-gray solutions refer to hybrid solutions that combine traditional infrastructure such as dikes with ecosystem restoration or other natural solutions. Only if there is no other option available, traditional (gray) solutions can be selected.



1. Consider the socio-political context, existing strategies and plans

Consult and build on national and regional development plans and strategies. For the selection of targets and measures, consider land tenure and the overall governance of resources in the intervention area. Identify opportunities and roadblocks to implementation over the expected project duration. Certain projects may benefit from state-led, top-down governance and leadership to ensure sustainability of the intervention, while others will thrive under the leadership of the civil society or a public-private coalition. Assess the local capacity to build and maintain desired interventions, which is needed to select effective and realistic measures later in the process.

2. Select a flood reduction target

Identify the acceptable level of risk considering stakeholder interaction from Step 1 and the realistic investments available for risk reduction measures. Clearly identify the time horizon for the risk management approach. Engineering structures generally have a lifetime time frame of 50 years. Therefore, a time horizon of at least 50 years is desirable. However, time frame may depend on the amount of future uncertainty and available budget. For example, with very uncertain futures short-term benefits may outweigh long-term planning. However,

to opt for no-regret strategies is always preferable. Specify indicators related to the risk reduction target based on the risk assessment such as prevented flood damages or affected people.

3. Identify green or hybrid options with similar performance as, or value addition to, conventional options

Based on the ecosystem analysis and flood risk assessment, identify possible green or hybrid solutions to address the specific flood risk issue. Consider that non-structural measures (such as early warning systems and spatial planning) and various combinations of green, conventional, and non-structural measures may be needed to address the specific flood risk issue. Consider how conservation, expansion of an existing ecosystem, or restoration of a destroyed ecosystem can contribute to reduce flood risk. Look at previous projects and possible green solutions for lessons and preliminary cost estimates. Assess which factors may influence the stability and performance of vital ecosystems. Also assess how they can be integrated into the wider system management. Construct a portfolio of feasible strategies and accompanying measures.

There are various sources of information on the range of possible nature-based flood management solutions and their pros and cons, including the UNEP



Green Infrastructure Guide²⁰, the WWF Flood Green Guide²¹, the Nature Conservancy²², and the Panorama platform²³. However, while general information may be available on effectiveness and unit costs of nature-based solutions, the feasibility of each option will strongly depend on the local circumstances.

4. Assess integration of measure(s) with conservation/restoration of existing ecosystems

Analyze to what extent the selected measures can be implemented by conserving and restoring existing ecosystems. In addition, analyze to what extent new ecosystem creation or engineering is required and what methods can be used. The ecosystem assessment performed under Step 3 can form a basis to select proper methods for conservation, restoration, and management of ecosystems. Analyses of factors impeding or jeopardizing ecosystem health and resilience can be expanded here to steer selection of appropriate measures. Make use of existing knowledge in restoration ecology. Use the guiding principles outlined above to apply proper restoration methods and not negatively impact other ecosystems in the area. Perform a full assessment on how the new measures may impact existing ecosystems. Analyze regulations and development plans contributing to the preservation or restoration of ecosystems; also include the degree in which they are enforced.

5. Adjust financing strategy

With an estimation of project costs for risk reduction strategies comprising different sets of options, begin finalizing the funding strategy. Criteria for consideration should include the available grant size, application procedures, and mission of the donor. Be aware of lengthy application procedures and other requirements. Secure (co-)financing from stakeholders, governments, and the private sector to foster buy-in to the intervention, if possible.

6. Discuss risk reduction targets and possible strategies with stakeholders

Hold interactive stakeholder consultations to present and discuss potential intervention areas as well as potential intervention strategies. Discuss risk reduction targets and the (potential) role of ecosystems in reducing risk, using information from the risk and ecosystem assessments. Aim to understand stakeholder interests and preferences without raising expectations. Readjust risk reduction priorities if necessary.

7. Shortlist technically feasible and socially accepted interventions for further analysis

Hold stakeholder meetings to discuss possible strategies and phasing. To proceed with further analysis, select options that are technically feasible, economically viable, and desirable from a range of stakeholder perspectives. Integrate the full range of benefits produced by an intervention in the shortlisting process as well as stakeholder priorities.

Outputs

1. Overview of feasible measures to reduce risk, their estimated effects and implementation steps
2. Outline of different strategies and their possible phasing in time with a focus on no-regret and less costly strategies first

20. UNEP (2014). The Green Infrastructure Guide for Water Management: Ecosystem-based Management Approaches for Water-Related Infrastructure Projects. <http://www.unep.org/ecosystems/resources/publications/green-infrastructure-guide-water-management>

21. WWF (2017). Natural & Nature-based Flood Management: A Green Guide. <http://envirodm.org/flood-management>

22. Nature Conservancy (2014). A Flood of Benefits. Using Green Infrastructure to Reduce Flood Risks. <https://www.conservationgateway.org/ConservationPractices/Freshwater/HabitatProtectionandRestoration/Documents/A%20Flood%20of%20Benefits%20-%20J.Opperman%20-%20May%202014.pdf>

23. <http://panorama.solutions/en>



Step 4: Best practice example and additional resources

Example project

UNEP's project "Building Capacity for Coastal Ecosystem-based Adaptation in Small Island Developing States" is being implemented in Grenada and the Seychelles. In Grenada, social and ecological vulnerability impact assessments (VIAs) were conducted in three local sites (Lauriston Beach, Windward, and Grand Anse Bay). The VIA process focused on modelling and analyzing the impacts of climate change in terms of extreme events such as hurricanes and tropical storms. The focus was also on the impact of sea level rise on coastal communities and coastal/marine habitats, highlighting the problem of beach erosion in all three areas. Human activities such as building construction on beaches were also examined. Various coastal adaptation options were proposed based on the identified vulnerabilities. This included coral reef and mangrove restoration, locally managed marine areas, beach nourishment, breakwaters and stone revetments, among others.



Coral reefs play an important role in protecting Small Island Developing States (SIDS) against impacts of climate change.

Read more: Day et al. (2016). *Building Capacity for Coastal Ecosystem-based Adaptation in Small Island Developing States (SIDS). Assessing Climate Vulnerability in Grenada and Responding with Coastal Ecosystem-based Adaptation Action*. URL: <http://www.intasave.pecreative.co.uk/documents/Publications/Climate-Change-Science,-Policy-and-Practice/CARIBSAVE/BCCEba-SIDS.pdf>

More information

1. Decision tree on whether nature-based solutions can be effective for your project: <http://www.naturalinfrastructureforbusiness.org/tools/#tree>
2. An overview of possible green measures for flood risk management by The Nature Conservancy (2014): <https://www.conservationgateway.org/ConservationPractices/Freshwater/HabitatProtectionandRestoration/Documents/A%20Flood%20of%20Benefits%20-%20J.Opperman%20-%20May%202014.pdf>
3. UNEP, Danish Hydraulic Institute, IUCN and The Nature Conservancy's Green Infrastructure Guide for Water Management: <http://www.medspring.eu/sites/default/files/Green-infrastructure-Guide-UNEP.pdf>
4. For planning and strategy building including long-term uncertainty: <https://www.deltares.nl/en/adaptive-pathways/>
5. Model tool of the Natural Capital Project for integrated valuation of ecosystem services and tradeoffs (InVEST): <https://www.naturalcapitalproject.org/invest/>



Step 5: Estimate the costs, benefits, and effectiveness

Quantify the effect of the possible measures on project objectives, including a cost-benefit analysis to compare the costs of construction and maintenance of the measure against the range of (co-)benefits it will provide. This analysis should also address performance of measures in relation to the risk reduction target as defined in Step 4. The results can be used to identify the most cost-effective measure. Depending on the progress of the development of the project and the evolving nature of the stakeholder interaction described in Step 6 below, these analyses may need to be repeated with progressively increasing levels of detail.

1. Model current and future flood risk with traditional, hybrid, and nature-based options

Integrate the feasible green and hybrid solutions identified in Step 4 into the risk model developed in Step 3. Assess the flood hazard, exposure, and risk in the current situation as well as under the climate and socio-economic projections with the possible options in place. Methodologies and models for quantitatively assessing the effectiveness of green measures for reducing hazard intensity are constantly under development. Critically enquire about the methodologies and assumptions used for this assessment. Use models wisely, where appropriate, adopting conservative parameter settings for deterministic models and appropriately broad parameter distributions in probabilistic models. Apply a sensitivity analysis to gain insight into future tipping points that may occur under changing boundary conditions (e.g. sediment loads, subsidence levels, fresh water input) and that are relevant for the sustainability of nature-based measures. Quantify the uncertainty in the model outputs.

2. Quantify risk reduction costs and benefits

Compute the per-unit and total investment and maintenance costs for each of the possible solutions. Compare the model damages without interventions to the damages with possible solutions in place to estimate the primary risk reduction benefits, i.e. the difference between the situation with and without the intervention now and in the future. In the calculations, consider the time it takes for the solution to finalize construction or become effective, as nature-based solutions may require years to realize their full risk reduction potential.

3. Assess the social and environmental impacts

Assess social and environmental impacts of the selected measure(s) and check whether remedial action is required under national or international law or agreed guidance. For example, an intervention may require the involuntary resettlement of people or may have an impact on the existing ecosystem. Ensure costs are included for any impacts which must be mitigated as part of the project. If applicable, ensure that the proposed project implementation will be in compliance with laws and safeguard standards of the respective country and organization(s) involved.

4. Identify additional benefits associated with risk reduction measures

Identify the full range of benefits of interventions and their value added to society and environment for all options under consideration. Socio-economic and environmental benefits, monetized or not, should be presented for consideration in decision-making. Determine how various benefit streams may increase or decrease over time. Quantify and monetize benefits as much as possible using tools for ecosystem valuation. An example is ecosystem goods and services such as an increase in fish stocks or recreational value. Quantify the uncertainty in benefit estimation. Benefits for which monetization is not desirable or achievable must find adequate representation in qualitative narratives.

Nature-based solutions can have a range of benefits beyond flood risk reduction, such as biodiversity conservation, job creation (e.g. in agriculture and fisheries), recreation, tourism, and public health. Describe these various expected benefits as thoroughly as possible, ideally in economic terms. Non-monetizable benefits should be adequately described and included in the decision-making process. Any potential negative effects should also be described and quantified.

5. Perform full cost-benefit and effectiveness analysis

Perform a complete quantitative cost-benefit analysis of each possible solution, including the target risk reduction benefits as well as all other benefits. In order to make a fair comparison of costs and benefits, monetary values should be discounted and converted to net present value. Costs are paid in the early years of a project while benefits are realized year by year over a number of decades. Describe the distribution of the costs and each benefit stream.



Outputs

1. Cost-benefit analysis including the full range of values
2. Social and environmental impact assessments
3. Risk assessment with interventions

Step 5: Best practice example and additional resources

Example project

1. The rivers and coastlines of Lami Town in the Republic of the Fiji Islands are prone to flash and surge flooding. This town was the focus of an economic analysis of nature-based, hybrid, and conventional solutions. A comprehensive analysis of installation, maintenance, labor, and opportunity costs was conducted for each of four options. The costs of inaction were also calculated. The economic analysis was conducted using avoided damage estimates and incorporated ecosystem service benefits. Lastly, a sensitivity analysis was included based on time, discount rate, and estimated percent of damage avoidance.

Read more: Rao, Nalini S. *An Economic Analysis of Ecosystem-based Adaptation and Engineering Options for Climate Change Adaptation in Lami Town, Republic of the Fiji Islands: Technical Report*. 2013. http://ian.umces.edu/pdfs/ian_report_392.pdf



River in rural area of Fiji

2. Despite a dyke that provides the primary flood protection of the area, Koh Mueng, Thailand experiences flooding. To assess green and conventional infrastructure, an evaluation of the most effective flood mitigation measures was pursued through hydrodynamic simulations and evaluation of economic viability using cost-benefit analysis. The solution options were evaluated for flood risk reduction effectiveness using assessments of flood hazards, physical and economic vulnerability, and ecosystem service values. The cost-benefit analysis evaluated direct and indirect losses through physical and economic vulnerability of the building stock, infrastructure, cultural artifacts, and tourism industry.

Read more: Vojinovic, Zoran, et al. "Combining Ecosystem Services with Cost-Benefit Analysis for Selection of Green and Grey Infrastructure for Flood Protection in a Cultural Setting." *Environments* 4.1 (2016). <http://www.mdpi.com/2076-3298/4/1/3>

More information

1. The NOAA Guidance for Assessing the Costs and Benefits of Green Infrastructure outlines methodologies for assessing the effectiveness of green solutions: <https://coast.noaa.gov/data/docs/digitalcoast/gi-cost-benefit.pdf>
2. The World Business Council for Sustainable Development (WBCSD) produced a report on the business case for natural infrastructure: http://www.naturalinfrastructureforbusiness.org/wp-content/uploads/2016/02/WBCSD_BusinessCase_jan2016.pdf
3. ProjectSelect, also produced by WBCSD, is a free cost-benefit analysis that allows users to evaluate the long-term financial costs and benefits of natural and conventional solutions, as well as account for the non-financial co-benefits: <http://www.naturalinfrastructureforbusiness.org/projectselect-tm/>
4. The Economics of Ecosystems and Biodiversity (TEEB), a global initiative to mainstream the values of biodiversity and ecosystem services into decision-making: <http://www.teebweb.org/>

Step 6: Select and design the intervention

Select the most effective and most appropriate option, based on the problem definition, the cost-benefit analyses, and the local needs and capacity. Develop a detailed design and implementation plan.

1. Select effective and feasible measure(s) in collaboration with stakeholders

Discuss cost-benefit and effectiveness analyses with stakeholders in (an) interactive session(s). Identify those stakeholders that should be involved to ensure the long-term commitment to plans and strategies.

2. Design a robust monitoring system, starting with baseline monitoring

To ensure the success of the project, conduct baseline monitoring and identify in an early stage how the project will be monitored and evaluated. There are many kinds of evaluation systems, and it is not yet clear which system is appropriate for nature-based solutions. A different type of monitoring system may be required, e.g. monitoring and evaluation (M&E), or monitoring, reporting and verification (MRV) with costs and responsibilities assigned. Logical framework and results-based management approaches are the most common frameworks. Monitoring and evaluation should be tailored to each project. Decide upon the roles and responsibilities of the organizations who will do this follow-up work after the project is implemented.

3. Draft engineering design study

Produce a draft engineering design and feasibility study of the selected measure(s), including detailed material and labor requirements. The engineering design should be informed by the risk reduction target, the required integration of the measure in the existing ecosystem and by identified ecosystem management and restoration


methods. Engineering designs should be based on detailed flood hazard and effectiveness modeling. These designs should explicitly encompass both the ecosystem and engineering aspects in the case of hybrid interventions. There are various technical design guidelines for nature-based interventions available, for example through the Ecoshape consortium.

4. Draft maintenance plan

To secure the flood risk reduction effectiveness of the measure over time, a maintenance plan should be drafted as part of the selection and design phase. Maintenance costs can play a role in the selection process, and will influence the optimal design. Furthermore, it is important to decide who will be responsible for the maintenance and how the long-term financing will be arranged. Also think about embedding maintenance and protection in local laws and regulations.

Outputs

1. Design of measures
2. Monitoring plan containing indicators, target values, roles and responsibilities, and monitoring method and duration
3. Maintenance plan



By reducing wave height, mangrove trees can reduce the dike height that is needed to meet the safety standards and reduce maintenance costs.



Step 6: Best practice example and additional resources

Example project

As part of the Mozambique Cities and Climate Change Project, the World Bank is creating urban parks in the city of Beira. The objective is to increase the resilience of the city to floods by improving and safeguarding the natural drainage capacity of the Chiveve River. The first phase of the project included the rehabilitation of the riverbed, the construction of an outlet, the dredging of the fishing port, and the planting of 2,200 mangrove trees with active flood mitigation function. The second phase, which is being implemented at the time of writing, will focus on the further development of a multi-purpose green infrastructure solution along the stretch of the Chiveve River in Beira. This solution will include the creation of a large park along the river, public spaces, cycling paths, and overall green landscape planning.

Read more: <http://projects.worldbank.org/P153544?lang=en>

More information

1. Designing nature-based solutions: Building with Nature Guidelines: <https://publicwiki.deltares.nl/display/BWN1/Building+with+Nature>
2. Information on design characteristics of green solutions for flood risk management, The Nature Conservancy (2014): <https://www.conservationgateway.org/ConservationPractices/Freshwater/HabitatProtectionandRestoration/Documents/A%20Flood%20of%20Benefits%20-%20J.Opperman%20-%20May%202014.pdf>
3. Incentives for Natural Infrastructure, the World Business Council for Sustainable Development (2017): <http://www.wbcsd.org/Clusters/Water/Natural-Infrastructure-for-Business/Resources/Incentives-for-Natural-Infrastructure>



Beira, Mozambique



Step 7: Implement and construct

Implement the project in consultation with stakeholders; ensure compliance with social and environmental standards.

1. Revisit social and environmental impact assessment

Revisit the social and environmental impact assessment, including the standards and safeguards relevant to the project. Start planning any required involuntary resettlement of inhabitants and preparing the implementation area to limit environmental impacts.

2. Consideration of ecosystem structure, species diversity, and ecosystem functioning

Implement the engineering and ecosystem aspects of the project in accordance to the Principles. Also include the ecosystem integration as assessed in the previous steps. Closely monitor ecosystem functioning and impacts during the implementation phase. Any unexpected impacts on ecosystem structure, species and functioning should be flagged. For hybrid solutions, ensure that the engineering works and ecosystem

aspects are implemented in harmony as per the design plan.

3. Continuous stakeholder and community interaction during implementation

Continuously inform and consult the key stakeholders as identified in the previous steps. Ensure stakeholder ownership and involvement. In communications, be sensitive to both the short-term impacts and expected long-term impacts, but also on the gains for communities and environment. Monitor impacts of the construction and rehabilitation work on the local stakeholders. Flexibly adjust the implementation of the project where required based on changing stakeholder needs and emerging information.

Outputs

1. Agreement on lifetime of intervention
2. Regulatory frameworks to sustain and maintain intervention
3. Implemented measures

Step 7: Best practice example and additional resources

Example project

A good example of a participatory design process is the storm water management system of the city of Malmö, Sweden. The city experienced socio-economic decline and floods from overflowing drainage. A collaborative solution aimed to retrofit the area with Sustainable Urban Drainage Systems (SUDS) as part of a broader regeneration project. The objective was to create a more sustainable neighborhood and to benefit biodiversity. An extensive and iterative process of stakeholder engagement was initiated during the design and execution of this project. The process involved a series of consultations with local residents, representatives from the local school, practitioners, city staff, and many others. The idea behind these consultations was to build awareness about the SUDS retrofit, its benefits and costs, and to obtain public perspectives on the desired design. This included regular meetings, community workshops, and informal gatherings. The approach became increasingly open and consultative, with approximately one-fifth of the tenants in the area having participated in dialogue meetings about the project. Amongst other topics, safety issues related to open water areas (e.g. retention pools) were discussed with residents as well as the potential loss of particular recreational opportunities in the area. In many cases, comments and concerns from stakeholders were taken into account and addressed in redesigned SUDS plans.



Urban flood prevention via green infrastructure in Malmö



Read more: <http://www.panorama.solutions/en/building-block/engaging-stakeholders-raise-awareness-and-support>

More information

- 1 The Natural Hazards - Nature-based Solutions platform details projects from around the world: <http://naturebasedsolutions.org>
- 2 NOAA Guidance for Assessing the Costs and Benefits of Green Infrastructure: <https://coast.noaa.gov/data/docs/digitalcoast/gi-cost-benefit.pdf>
- 3 The WWF Flood Green Guide: <http://envirodm.org/flood-management>
- 4 What Will Adaptation Cost? An Economic Framework for Coastal Community Infrastructure (NOAA 2013): <https://coast.noaa.gov/data/digitalcoast/pdf/adaptation-report.pdf>

Step 8: Monitor and inform future actions

Monitoring activities during and after the implementation of a nature-based solution are needed to maintain its effectiveness and to grow an evidence base. They are also needed to record lessons learned for future use.

Monitor physical system, ecosystem status, species diversity, and ecosystem functioning

Carefully monitor the development of the ecosystem in the area of implementation, as well as the larger landscape. The aim is to assess how the intervention has affected the area, how the ecosystem flood protection functions are developing and whether ecosystem restoration is progressing according to plan. Monitor species diversity and density over time to determine whether the ecosystem develops through different successional stages. Also assess if these stages are occurring on the expected timelines.

1. Monitor risk reduction effectiveness

Refer to the monitoring system (see Step 6.3) to assess how the components of the project have been implemented. The extent to which the restoration and creation of ecosystem elements are providing a growing contribution to the risk reduction effectiveness should also be assessed. If monitoring results show significant (and unexpected) physical changes, re-run the hazard and risk model with the evolved interventions in place to assess the effect on damages.

2. Policy and regulatory framework development and adjustment

As the benefits of nature-based solutions can be realized over many decades, it is important to understand the regulatory environment. Does it change over time? This will allow the project to adapt to forthcoming policies before they negatively impact the solution.

3. Continuous community involvement

The sustainability of a nature-based solution depends on community willingness and commitment. If the community is not involved and does not see the value of the restored or created ecosystem, they may knowingly or unknowingly contribute to its decline. It is crucial to involve all social groups in the community by conducting meetings to explain the project and its benefits. Practical guidance should be provided on the use and protection of vital ecosystems. It is important to ensure that project representatives listen to the community. Sufficient time should be spent on addressing their concerns. Community commitment can be increased in case of new employment opportunities derived from the ecosystem. There are several documented examples of nature-based solutions that were implemented with strong community involvement that can be used as guidance²⁴.

4. Review, evaluate, and act

Monitoring and evaluation should generate insights on what works, what doesn't work, and why. Monitoring also strongly informs maintenance and other necessary actions. Review all project components with special attention to risk reduction effectiveness, community impact, and environmental impacts. This monitoring and review process should include developments outside the project area that may influence the effectiveness of measures. Decide if structural and functional performance meet previously set standards and project objectives. If not, decide on follow up

24. For example, see EPA (2017). Green Infrastructure in Parks: A Guide to Collaboration, Funding, and Community Engagement: https://www.epa.gov/sites/production/files/2017-05/documents/gi_parksplaybook_2017-05-01_508.pdf

actions, regarding maintenance or even implementation of additional interventions.

To enable scaling-up and improvement of global best practices, publish evaluations and share insights with other implementing organizations. Investigate possibilities for scaling up successful approaches in other areas. While the documenting of lessons should be done throughout the project, it is important for the success of other nature-based projects to capture and report these lessons in a way that is accessible more broadly. We encourage you to report your projects and lessons learned on the online platform 'Natural Hazards – Nature-based Solutions'²⁵.

Outputs

1. Monitoring reports that discuss how the monitoring meets the target
2. Actions to change or improve the project, if needed
3. Sharing of lessons learned



Monitoring activities by members of the Coastal Field School - Blue Forest

[25. http://naturebasedsolutions.org/](http://naturebasedsolutions.org/)

Step 8: Best practice example and additional resources

Example project

New Zealand's coastal parks have recently focused on restorative techniques focused on the use of indigenous sand-binding species, for example in the management of dune ecosystems in Christchurch. A collaborative and community-based vision for the area was established and management objectives were identified. These included a specific restoration plan for the dune system at the site, together with a monitoring plan. Other initiatives included the promotion of education on the area and the dune restoration initiative. A monitoring program was developed to measure the success of the key actions and provide useful information for future management decisions. The monitoring program has clearly shown changes in the dune system in response to the new management activities.

Read more: <https://www.iucn.org/sites/dev/files/2014-038.pdf>

More information

There are numerous online communities that support the advancement of nature-based solutions through a variety of approaches. These resources offer an opportunity to review and evaluate projects and share your own experiences to inform the development of future projects.

The European Commission's Oppla is a new knowledge marketplace; a place where the latest thinking on ecosystem services, natural capital, and nature-based solutions is brought together. <http://www.oppla.eu>

The Partnership for Environment and Disaster Risk Reduction (PEDRR) is a global alliance of UN agencies, NGOs and specialist institutes. PEDRR seeks to promote and scale-up implementation of ecosystem-based disaster risk reduction and ensure it is mainstreamed in development planning at global, national, and local levels. <http://pedrr.org>



The Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) and IUCN host the PANORAMA platform. This is a partnership initiative to document and promote inspiring, replicable solutions across a range of conservation and development topics. This enables cross-sectoral learning and inspiration. <http://panorama.solutions/en>

The Natural Infrastructure for Business platform developed by WBCSD, CH2M (with support from The Nature Conservancy) and other member companies is designed to introduce business leaders and practitioners to natural infrastructure. <http://www.naturalinfrastructureforbusiness.org>

Stockholm Environment Institute's weADAPT is a collaborative platform on climate adaptation issues. It allows practitioners, researchers, and policy-makers to access credible, high-quality information. The platform also facilitates new connections between these stakeholders. <https://www.weadapt.org>

GIZ hosts an Adaptation Community which offers an inventory of methods for adaptation to climate change. It also serves as a platform for the exchange of experience among practitioners. <http://www.adaptationcommunity.net>

Building Ecological Solutions to Coastal Community Hazards. A Guide for New Jersey Coastal Communities. National Wildlife Federation (2017). <https://www.nwf.org/CoastalSolutionsGuideNJ>

The Natural Hazards – Nature-based Solutions platform, managed by the Global Facility for Disaster Reduction and Recovery (GFDRR), the World Bank, and Deltares, provides a global overview of the nature-based or hybrid solutions projects implemented by a variety of organizations. The platform also houses these Principles and Implementation Guidance that are updated with lessons learned. <http://naturebasedsolutions.org/>

Conclusions

The five principles and implementation document presented in this guidance make a case for a structured approach to the planning, evaluation, design, and implementation of nature-based solutions for flood risk management. They aim to support disaster risk management and climate adaptation professionals who plan flood risk management interventions, NGOs that implement nature-based solutions, as well as staff of donor and international agencies who design, review, or fund such projects. Using the growing momentum for the use of nature-based solutions as part of resilience-building strategies and disaster risk reduction, these guidelines offer a step-by-step approach for implementing successful nature-based solutions for flood risk management.

This document is one building block towards a system in which nature-based solutions for flood risk management are widely accepted and implemented as an alternative or complement to conventional engineering measures. However, the document is not meant to form an all-encompassing guide. Rather, it aims to set out the framework for nature-based flood management, and

forms an addition to other more specific initiatives such as detailed guidance on implementation (e.g. the WWF Flood Green Guide²⁶; and USACE design guidelines that are currently in preparation), training programs (e.g. the NOAA Green Infrastructure for Coastal Resilience course²⁷), and international networks (such as the Partnership for Environment and Disaster Risk Reduction, PEDRR²⁸). As such, we have tried to reference such specific further resources throughout the guidance. Also, we encourage others to build from this framework to provide further detailed information that is needed for successful implementation.

We hope that 'Implementing nature-based flood protection: Principles and implementation guidance' streamlines and accelerates the process of knowledge development, evaluation, and standardization of design and testing protocols. That way, we can continue to improve and promote nature-based adaptation as a sustainable flood risk management solution.

26. WWF (2017). Natural & Nature-based Flood Management: A Green Guide. <http://envirodm.org/flood-management>

27. <https://coast.noaa.gov/digitalcoast/training/green.html>

28. <http://pedrr.org/>

